MARCH 2013 WETROOM RANGE & PRICE GUIDE

# Wetrooms



THE WETROOM SPECIALIST



Enjoy a powerful shower in spacious surroundings that are warm underfoot.



The added luxury of underfloor heating

## the twelroom STORY Pages 2-15

0

C

#### Specifications & prices

Wetroom floor formers	19-21
Waterproofing	22
Underfloor heating	23
Wetroom panels	24-29
Accessories	30-31

# of LIVING with a luxury WETROOM


DISCOVER

the

4

Beautiful to look at and easy to clean. A completely flush tiled floor with simple glass screens that wipe clean at a stroke. No messy door seals or doors and handles with finger marks.

14-00





You can fit a wetroom anywhere in the home, upstairs, downstairs, in a cellar or the attic.

Even the smallest bathrooms can be converted into a luxury wetroom. In the typical example shown below the bath can be removed and a wetroom installed with a single glass panel to create a luxurious walk-in shower.









## BY FAR BY FAR Best WETROOM system


Impey are the UK's leading authority on wetroom systems with over 250,000 installations nationwide. We were the pioneers of wetroom floor formers and our Aqua-Dec range of products is still by far the best.

This unbeatable quality and reliability is achieved by using only the most advanced materials and technology.

Our new Aqua-Dec EasyFit has a computer designed cellular structure, which is compression moulded from high glass content SMC to provide the strongest most rigid construction on the market.

It requires no under boarding and will support over 300kg (47 stone) when fixed directly to standard floor joists.

We are so confident in the long lasting performance of all Impey products that we offer a lifetime guarantee.



Tests have shown that the Impey Aqua-Dec EasyFit will easily support over 300kg (47 stone) without the need for under boarding



A R

Besigned and manufactured in the UK



# EASY CLEAN with AQUA-SHIELD

Impey glass wetroom panels are all made from the finest toughened safety glass treated with Aqua-Shield, a microscopically thin coating applied to the inside of the glass. Aqua-Shield

FINISH

**Easy Clean** This unique treatment creates an incredibly smooth surface that prevents build-up of limescale and grime, which makes cleaning both easier and less frequently required

- between 50% and 70% less often.

Aqua-Shield is crystal clear and will never peel or flake. When applied the molecules of the coating and the glass bond together to create a protective layer 80,000 times thinner than a human hair.

This same revolutionary surface treatment is used to provide dirt and stain resistance for an extensive range of applications, including airports control towers, marine glass and the windscreens of top sports cars.





## GLASS FIXING ODUDODS for SINGLE or MULTIPLE PANELS

Impey wetroom panels are available in plain glass, satin glass or modesty panel glass with a choice of five distinctive chrome fixing systems. Corner installations can be left or right hand. With Aqua-Screen Light and Aqua-Screen Pure you also have the additional option of curved plain glass.



Aqua-Screen Clear



Aqua-Screen Pure



Aqua-Screen Vision



Aqua-Screen Light Curved



Aqua-Screen Vision in satin glass



Aqua-Screen Light with modesty panel glass



Have everything you need for your shower within easy reach.

Choose from our complete range of the highest quality chrome plated, solid brass accessories to keep all your bottles, soaps and sponges close to hand.

Put your feet up on our handy foot rest, which makes washing your feet and lower legs much easier, plus there is a choice of hand rails, to offer additional support, and a wall mounted squeegee that provides the perfect, quick and easy clean finish for your shower area.

For full details please see pages 30-31.













No other wetroom floor installation is quicker or easier to fit. An Impey Wetroom can be installed in 4 simple stages.

### 1. The Aqua-Dec floor formers

Impey were the first to develop this revolutionary idea. The Aqua-Decs are designed to provide the gradient required in the showering area for drainage. What makes them so special is their extreme strength and rigidity, whilst only being 22mm thick at the outer rim. This low profile is specially engineered to be the same depth as standard floorboards. You simply remove the floorboards and fix it directly to the floor joists.

The Aqua-Decs are available in a wide

range of sizes to create whatever shower area you wish.



### 2. Waterproofing

Impey waterproofing membranes allow the entire floor area to be made completely watertight as quickly and efficiently as possible. Unlike many other systems, which can require extensive drying time, Impey waterproofing membranes can

be tiled as soon as they have been fitted, saving both installation time and cost.



### 3. Underfloor heating

This is not essential, but for little extra cost you gain a whole lot more. The Aqua-Mat<sup>®</sup> underfloor heating system is simple to fit and very low wattage, making it both very economical

to install and use. It provides a wonderful warm

feeling as you enter the room barefoot and quickly dries the tiles as you leave the shower.



## 4. Tiling and wetroom glass panels

After the wetroom has been tiled and the shower fitted, all that remains for the shower area is to install the glass panel or panels. Impey offer a complete range of sizes with a variety of stylish chrome fixing options shown on pages 12-13.





**Stage 1 The Aqua-Dec floor former** After marking the position of the Aqua-Dec floor former, you then cut and remove the floor boards.



The Aqua-Dec is then placed in the recess to determine where the waste needs to be fitted. Our latest model, the Aqua-Dec EasyFit, has unique drain features\* that allows it to be rotated to avoid any joists that could obstruct the waste. \* Patent No. GB2431341



Once the waste is fitted the Aqua-Dec EasyFit can be screwed directly to the floor joists.



**Stage 2 Waterproofing** First the entire floor and 75mm up the wall is painted with the primer.



Then all the edges are sealed with the Impey Jointing Tape.



Jointing Tape is also laid in parallel strips to fit below the joins in the Impey membrane, which is then rolled out to cover the Aqua-Dec and the entire floor.



A special additional sealant is then applied to all the corners.



Stage 3 Optional underfloor heating Aqua-Mat<sup>®</sup> underfloor heating comes on a roll of webbed backing that can be laid over the entire floor. This can then be connected to a wall mounted thermostat.



**Stage 4 Tiling and wetroom glass panels** For the shower area, larger tiles like these above will need to be cut diagonally to follow the gradient in the Aqua-Dec EasyFit. Alternatively, you can use mosaic or small tiles (max. size 50mm square), which will naturally follow the gradient.

See the full installation video at www.impeyshowers.com/technical



## Planning your shower area

The following pages contain all the information you need to plan and cost your shower area, but if you would like any further advice or information please contact Impey Sales:

## 0870 909 0770

## Wetroom installation guide

#### Step 1 – Floor former and drainage options

Once you have decided on the size and position of your showering area you need to choose the appropriate size of Aqua-Dec floor former (pages 19-20).

#### Step 2 – Waterproofing

Impey membranes have been designed to provide a complete, guaranteed watertight barrier to your wetroom (page 22).

#### Step 3 – Underfloor heating

This helps dry the tiles and provides a luxurious warm floor. It is installed on top of the waterproof membrane, underneath the tiles, avoiding floor mounted fixtures (page 23).

#### Step 4 – Wetroom panels and enclosures

Wetroom panels allow you to create a partially screened walk-in shower area (pages 24-29).

#### Step 5 – Accessories

Pick from a range of high quality accessories (pages 30-31).

## Step 1 Wetroom floor formers


## Aqua-Dec **EasyFit**

Flowrate 28-34 litres per minute depending on the room layout and the size of Aqua-Dec

The new Aqua-Dec EasyFit is a revolutionary new design

- No under boarding required tested to 300kg (47 Stone)
- Lighter, yet stronger over 20% lighter than our previous Aqua-Dec yet even stronger
- Making installation even easier the location of joists within timber floors no longer presents a problem, because the Aqua-Dec EasyFit includes a revolutionary drainage feature that allows the installer to rotate the drainage point through 360° to any position in order to avoid the joist
- Easy to cut and drill If you need to trim or cut to avoid an obstruction it can be cut with a universal hand saw and drilled to provide additional screw fixing holes









Simply place the new Aqua-Dec EasyFit where it will be installed and if the drain aperture interferes with a joist, just rotate the centre section until it is clear and fit the trap

All Aqua-Decs are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials. Supplied with a DSSI/H Tiled Floor Gully Horizontal Outlet as standard, for alternative drainage see page 20



## Aqua-Dec AD8

Flowrate 28-38 litres per minute depending on the room layout and the size of Aqua-Dec The Aqua-Dec AD8 is an alternative to the Aqua-Dec EasyFit designed for extra large installations, such as bath replacements, where it can be trimmed to fit the exact size required.




Size: 1850 x 900mm Code: AD8 Price: £513.03 Exc. VAT £615.64 Inc. VAT\*

## Drainage for Aqua-Dec **EasyFit**® & AD8

These have a height adjustable stainless steel top, suitable for floor tiles 6mm-26mm deep.

All Aqua-Dec EasyFit and AD8 floor formers are supplied as standard with the DSS1/H tiled floor gully with a horizontal outlet – a high quality water trap featuring a 50mm water seal, flexible 50mm outlet and a 50-40mm solvent weld reducer.



Stainless Steel Grate

Our drainage options are the most versatile on the market. The high quality stainless steel grate is 4mm thick and has a contemporary and modern design.

#### Height Adjustable Rings


The height adjustable rings rotate to vary the height to suit different tile depths. This unique feature means the gully can be used with varying tile depths between 6-26mm depending on waterproof membrane and adhesive thickness.

#### Membrane Clamping Ring

The membrane clamping ring secures the Tilesafe<sup>\*</sup> tanking membrane into place creating a secure watertight seal at the drainage point.

## Alternative Drainage options for tiled or vinyl floors

The alternative drainage options shown below are available at no extra cost. Please specify when ordering.



## Aqua-Dec Linear


Flowrate 40-50 litres per minute depending on the room layout and the size of Aqua-Dec


The Aqua-Dec Linear is an alternative to the Aqua-Dec EasyFit that offers a stylish 40mm wide stainless steel linear drain to allow a higher flow rate, which may be required for the most powerful showers with body jets.

All Aqua-Decs are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

NB: Trimming the edges of the Aqua-Dec Linear is NOT possible and the Aqua-Dec LinearFlo drain requires a minimum 111mm clearance below the Aqua-Dec.








Size: 1000 x 1000mm Max Shower Area: 1000 x 1000mm Code: LNR2 Price: £609.00 Exc. VAT £730.80 Inc. VAT\*

Size: 1200 x 900mm Max Shower Area: 1200 x 900mm Code: LNR1 Price: £639.00 Exc. VAT £766.80 Inc. VAT\*



Size: 1200 x 1200mm Max Shower Area: 1200 x 1200mm Code: LNR3 Price: £689.00 Exc. VAT £826.80 Inc. VAT\*



To download an installation guide please visit our website www.impeyshowers.com/technical


## Aqua-Dec Linear 2


Flowrate 35-42 litres per minute depending on the room layout and the size of Aqua-Dec

The Aqua-Dec Linear 2 has been specifically designed to make tiling easier. Unlike the Aqua-Dec Linear, which has four gradients, the Linear 2 models have only two gradients, which mean you don't have to mitre the tiles in the corners. Stainless steel inserts are supplied to finish the tile edges, but it is important to ensure that these edges are either flush to a wall, or covered with a wetroom glass panel.

All Aqua-Decs are 22mm thick at the outer rim to be the same depth as most commonly used flooring materials.

NB: Trimming the edges of the Aqua-Dec Linear is NOT possible and the Aqua-Dec LinearFlo drain requires a minimum 111mm clearance below the Aqua-Dec.






Size: 900 x 900mm Max Shower Area: 900 x 900mm Code: LNR23 Price: £609.00 Exc. VAT £730.80 Inc. VAT\*

\*VAT at 20%, correct at time of going to press.

Size: 1000 x 1000mm Max Shower Area: 1000 x 1000mm Code: LNR22 Price: £639.00 Exc. VAT £766.80 Inc. VAT\*







Size: 1200 x 900mm Max Shower Area: 1200 x 900mm Code: LNR21 Price: £669.00 Exc. VAT £802.80 Inc. VAT\*

To download an installation guide please visit our website

## Step 2 Waterproofing

## A choice of two waterproofing membranes

Impey offer a choice of two waterproofing membranes:

- Tilesafe<sup>®</sup> our original bitumen based system.
- WaterGuard<sup>®</sup> a new fleece membrane with a self adhesive butyl rubber backing, which is faster and easier to install.

We advise that waterproofing membrane is applied to the entire floor area to guarantee a completely watertight finish.

Unlike many other systems, Tilesafe® and WaterGuard® can be tiled as soon as they have been fitted, saving both installation time and cost.



#### Tilesafe®

- Rubber modified bitumen membrane creates a completely watertight barrier
- Woven glass fibre mesh provides a key for the tile adhesive
- Self adhesive and supplied on a roll for easy application
- No curing time to enable faster installation

#### Tilesafe® Kits

Product Code	Kit Contents	Retail Price Exc. VAT	Retail Price Inc. VAT*
TS2	5m <sup>2</sup> of Impey Tilesafe® membrane 500ml Impey Tilesafe® primer 10m jointing tape Jointing compound and putty	£273.27	£327.93
TSI	10m² of Impey Tilesafe® membrane 1 Ltr Impey Tilesafe® primer 15m jointing tape Jointing compound and putty	£369.11	£442.93

Note: Because Impey Tilesafe® is a bitumen-based product it is only suitable for use with the Aqua-Mat® 100W undertile heating system. Other systems may run at higher temperatures and compromise the integrity of the tanking system.





WaterGuard®

- Co-Polymer membrane with a butyl rubber backing creates a completely watertight barrier
- Polypropylene surface provides a key for the tile adhesive
- Can be used with epoxy grout and solvent based sealers for stone tiles
- Pre-made corners for faster and easier installation
- Self adhesive and supplied on a roll for easy application
- No curing time to enable faster installation

#### WaterGuard® Kits

WGEPC

External corner

Product Code	Kit Contents	Retail Price Exc. VAT	Retail Price Inc. VAT*
WG5	5m² of Impey WaterGuard® membrane 500ml BAL primer 15m jointing tape 4 x internal corners 1 x external corners Butyl sealant	£232.28	£278.74
WG10	10m <sup>2</sup> of Impey WaterGuard® membrane 500ml BAL primer 20m jointing tape 4 x internal corners 1 x external corners Butyl sealant	£313.74	£376.49
Additional	components if required 10m Jointing tape	£48.00	£57.60
WGIPC	Internal corner	£8.85	£10.62

£8.85

£10.62

## Step 3 Underfloor heating

## The added luxury of a warm wetroom floor

Impey underfloor heating is designed to gently warm the tiles from below, allowing them and the grout lines to dry more quickly, whilst providing a luxurious warm feeling to the tiled floor. It is very economical to run, with an output of only 100W per m<sup>2</sup>. The Aqua-Mat® thermostat comes with a 2 year guarantee and the Aqua-Mat® heating mat comes with a 16 year guarantee.


#### Aqua-Mat<sup>®</sup> 100W Size Options

Area to be Warmed m <sup>2</sup>	Heating Load Watts	Retail Price Exc. VAT	Retail Price Inc. VAT*
1.0	100	£82.68	£99.21
1.5	150	£94.51	£113.41
2.0	200	£109.98	£131.97
2.5	250	£129.53	£155.43
3.0	300	£144.97	£173.97
3.5	350	£162.11	£194.53
4.0	400	£178.43	£214.11
5.0	500	£201.98	£242.37
6.0	600	£230.82	£276.99
7.0	700	£258.13	£309.76
8.0	800	£282.37	£338.84
9.0	900	£296.95	£356.34
10.0	1000	£306.87	£368.25
12.0	1200	£381.26	£457.51
	1.0         1.5         2.0         2.5         3.0         3.5         4.0         5.0         6.0         7.0         8.0         9.0         10.0	1.0         100           1.5         150           2.0         200           2.5         250           3.0         300           3.5         350           4.0         400           5.0         500           6.0         600           7.0         700           8.0         800           9.0         900           10.0         1000	1.0         100         £82.68           1.5         150         £94.51           2.0         200         £109.98           2.5         250         £129.53           3.0         300         £144.97           3.5         350         £162.11           4.0         400         £178.43           5.0         500         £201.98           6.0         600         £230.82           7.0         700         £258.13           8.0         800         £282.37           9.0         900         £296.95           10.0         1000         £306.87

#### Impey Electric Thermostat / Timer

AIVISTAT VVHITE	LOJ.ZI	199.00
AMSTATSILVER	£94.55	£113.46







## Step 4 Wetroom panels

Panels are made from toughened safety glass and are available in single or multiple panel combinations. Corner situations can be left or right hand.





Acrylic Floor Seal

Polished Chrome Trim

#### A CHOICE OF FLOOR SEAL OR POLISHED CHROME TRIM

Impey wetroom panels can be simply silicone sealed direct to the tiled floor, but for the neatest possible finish we also offer two alternative options - a discrete acrylic floor seal, or a stylish polished chrome trim.

		THE REAL
		///
	/	
R	6	ALT THE
	Su-	

1200mm Lengths	Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
Acrylic Floor Seal	ISPSL 12	£12.60	£15.12
Polished Chrome Trim	ISPTM 12C	£31.50	£37.80

## Aqua-Screen Vision with 8mm toughened safety glass.






For full details see page 31

#### PANEL COMBINATIONS

Height: 1963mm (1900mm to top of glass). Can be left or right hand.



Depth: 1200 max. А B,C Panel size options: 700, 800, 900, 1000

D Entrance: 500 min.



Panel size options: 700, 800, 900, 1000

Depth: 1200 max, 750 min.

return panel



А Depth: 1200 max, 750 min.

- Panel size options: 700, 800, 900, 1000 В
- Panel size: 200

#### Plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPP 70 CUC	£516.96	£620.35
800mm	ISPP 80 CUC	£538.59	£646.30
900mm	ISPP 90 CUC	£562.38	£674.86
1000mm	ISPP 10 CUC	£594.83	£713.79
Storage System	ISPP B 2C	£215.22	£258.26
Return Panel†			
200mm	ISPS 02 CUC	£109.38	£131.25

#### Satin glass and modesty panel glass

0	× 1	0		
Size Panel Pack†	Satin Glass Code	Modesty Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPP 70 SUC	ISPP 70 SM1C	£561.30	£673.56
800mm	ISPP 80 SUC	ISPP 80 SM1C	£584.01	£700.81
900mm	ISPP 90 SUC	ISPP 90 SM1C	£609.97	£731.96
1000mm	ISPP 10 SUC	ISPP 10 SM1C	£645.66	£774.79
Return Panel†				
200mm	ISPS 02 SUC	ISPS 02 SM1C	£118.68	£142.42

90° Corner Joints and Chrome Feet are only available to purchase with a Wetroom Glass Panel

90° Corner Joints Code: ISPC NR 90C Price: £32.45 Exc. VAT £38.93 Inc. VAT\* Chrome Foot Code: ISPFQC Price: £47.25 Exc. VAT £56.70 Inc. VAT\*






24

## Aqua-Screen Pure with 8mm toughened safety glass.



Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Two panels





Depth: 1200 max.


- B,C Panel size options: 700, 800, 900, 1000, 1200
- D Entrance: 500 min.

#### Single panel with return panel



- Α Depth: 1200 max, 750 min.
- Panel size option: В 700, 800, 900, 1000, 1200
- C Panel size: 200

#### Walk through




- Depth: 1200 max, 750 min. А Panel size options: 1000, 1200 В

Walk through options require an additional tie bar Code: ISPST Price: £73.50 Exc. VAT £88.20 Inc. VAT\*



Floor foot for return panels Return panel packs include a floor foot to support the end of the return panel.



Depth: 1200 max, 750 min. А В Panel size options: 700, 800, 900, 1000, 1200

#### Single panel with angled tie bar



Single panels can also be held in place by shortening the support tube and fixing the bracket at an angle

#### Walk through with return panels



Depth: 1200 max, 750 min. Panel size options: 1000, 1200 Panel size: 200

А

В



Lifetime

For full details see page 31

#### Plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPS 70 CUC	£325.50	£390.60
800mm	ISPS 80 CUC	£325.50	£390.60
900mm	ISPS 90 CUC	£345.45	£414.54
1000mm	ISPS 10 CUC	£356.34	£427.61
1200mm	ISPS 12 CUC	£401.23	£481.47
Return Panel†			
200mm	ISPS 02 CUC	£109.38	£131.25

#### Satin glass and modesty panel glass

Size Panel Pack†	Satin Glass Code	Modesty Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPS 70 SUC	ISPS 70 SM1C	£353.17	£423.80
800mm	ISPS 80 SUC	ISPS 80 SM1C	£353.17	£423.80
900mm	ISPS 90 SUC	ISPS 90 SM1C	£374.82	£449.78
1000mm	ISPS 10 SUC	ISPS 10 SM1C	£386.63	£463.96
1200mm	ISPS 12 SUC	ISPS 12 SM1C	£435.33	£522.40
Return Panel†				
200mm	ISPS 02 SUC	ISPS 02 SM1C	£118.68	£142.42

#### Bespoke plain glass cut to size available to order

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
250mm - 900mm	PURE/SP1	£460.85	£553.01
901mm - 1200mm	PURE/SP2	£519.75	£623.70

Maximum glass height 2000mm. Allow 4-5 weeks for delivery. Bespoke glass cannot be returned.

90° Corner Joints and Chrome Feet are only available to purchase with a Wetroom Glass Panel:

90° Corner Joints Code: ISPC NR 90C Price: £32.45 Exc. VAT £38.93 Inc. VAT\* Chrome Foot Code: ISPFQC Price: £47.25 Exc. VAT £56.70 Inc. VAT\*



## Aqua-Screen Light with 8mm toughened safety glass.







For full details see page 31

#### Straight tie bar/ceiling fitting with plain glass

Size	Plain Glass	Retail Price	Retail Price
Panel Pack†	Code	Exc. VAT	Inc. VAT*
700mm	ISPT 70 CUC	£410.97	£493.16
800mm	ISPT 80 CUC	£430.44	£516.52
900mm	ISPT 90 CUC	£473.70	£568.44
1000mm	ISPT 10 CUC	£495.33	£594.39
1200mm	ISPT 12 CUC	£576.45	£691.74
Return Panel†			
200mm	ISPT 02 CUC	£114.64	£137.57

#### Straight tie bar/ceiling fitting with satin glass and modesty panel glass

		0		/ P 0
Size Panel Pack†	Satin Glass Code	Modesty Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70 SUC	ISPT 70 SM1C	£446.66	£535.99
800mm	ISPT 80 SUC	ISPT 80 SM1C	£467.21	£560.65
900mm	ISPT 90 SUC	ISPT 90 SM1C	£513.71	£616.46
1000mm	ISPT 10 SUC	ISPT 10 SM1C	£537.51	£645.01
1200mm	ISPT 12 SUC	ISPT 12 SM1C	£624.75	£749.70
Return Panel†				
200mm	ISPT 02 SUC	ISPT 02 SM1C	£147.08	£176.50

#### Angled tie bar with plain glass

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70B CUC	£402.32	£482.78
800mm	ISPT 80B CUC	£421.79	£506.14
900mm	ISPT 90B CUC	£465.05	£558.05
1000mm	ISPT 10B CUC	£486.68	£584.01
1200mm	ISPT 12B CUC	£567.00	£680.40

#### Angled tie bar with satin glass and modesty panel glass

0	0		<i>/ / /</i>	
Size Panel Pack†	Satin Glass Code	Modesty Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	ISPT 70B SUC	ISPT 70B SM1C	£438.01	£525.61
800mm	ISPT 80B SUC	ISPT 80B SM1C	£458.56	£550.27
900mm	ISPT 90B SUC	ISPT 90B SM1C	£505.06	£606.07
1000mm	ISPT 10B SUC	ISPT 10B SM1C	£528.85	£634.62
1200mm	ISPT 12B SUC	ISPT 12B SM1C	£615.30	£738.36

#### Bespoke plain glass cut to size available to order

Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
250mm - 900mm	LIGHT/SP1	£546.00	£655.20
901mm - 1200mm	LIGHT/SP2	£628.95	£754.74

90 degree Corner Joints and Chrome Feet are only available to purchase with a Wetroom Glass Panel

Code: ISPC NR 90C Price: £32.45 Exc. VAT £38.93 Inc. VAT\* Additional Chrome Feet are available Code: ISPFRC Price: £54.60 Exc. VAT £65.52 Inc. VAT\*



#### Floor foot for curved panels

You will require a floor foot to support the end of the curved panel, which will be slightly raised off the floor due to the gradient of the Aqua-Dec.

#### A CHOICE OF CHROME FIXINGS

The glass panels can be wall or ceiling fixed. Panels are also available with a shorter, more discrete angled tie bar.





Alternative ceiling fixing (Supplied as standard in straight tie bar pack max, ceiling height: 2900)

Angled tie bar fixing

Single panel

R

Single panel

А

Α

В

Depth: 1200 max, 750 min.

Panel size options: 700, 800, 900, 1000, 1200

with angled tie bar

A


Depth: 1200 max, 750 min.

Panel size options: 700, 800, 900, 1000, 1200

#### PANEL COMBINATIONS

Height: 2063mm (2000mm to top of glass). Can be left or right hand.


#### Two panels






D Entrance: 500 min.

#### Single panel with return panel



- Δ Depth: 1200 max, 750 min.
- Panel size options: 800, 900, 1000, 1200 В
- Panel size: 200 С

#### Walk through



- Depth: 1200 max, 750 min. А
- В Panel size options: 1000, 1200

Walk through options require an additional tie bar Code: ISPTT Price: £100.80 Exc. VAT £120.96 Inc. VAT\*






- А В Panel size options: 1000, 1200
- С

Walk through with





- Panel size: 200
- Maximum glass height 2000mm. Allow 4-5 weeks for delivery. Bespoke glass cannot be returned.

## Aqua-Screen Clear with 8mm toughened safety glass.








#### PANEL COMBINATIONS

Height: 2000mm to top of glass. Can be left or right hand.

#### Single panel

#### Walk through











B Panel size options: 1000, 1200

Walk through options require an additional pole Code: IASCT2000 Price: £249.82 Exc. VAT £299.78 Inc. VAT\*

Plain glass			
Size Panel Pack†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	IASC70CUC	£530.00	£636.00
800mm	IASC80CUC	£599.00	£718.80
900mm	IASC90CUC	£615.00	£738.00
1000mm	IASC10CUC	£659.00	£790.80
1200mm	IASC12CUC	£699.00	£838.80

#### Satin glass and modesty panel glass

0	× 1	0		
Size Panel Pack†	Satin Glass Code	Modesty Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
700mm	IASC70SUC	IASC70SM1C	£575.05	£690.06
800mm	IASC80SUC	IASC80SM1C	£649.92	£779.90
900mm	IASC90SUC	IASC90SM1C	£667.28	£800.74
1000mm	IASC10SUC	IASC10SM1C	£715.02	£858.02
1200mm	IASC12SUC	IASC12SM1C	£758.42	£910.10

В

## Aqua-Screen Light Curved with 5mm toughened safety glass.






#### PANEL COMBINATIONS

Front and side panels

Front and side panel†	Plain Glass Code	Retail Price Exc. VAT	Retail Price Inc. VAT*
Front panel	IPWA 15 CUP	£415.80	£498.96
Side panel	IPWS 15 CUP	£367.50	£441.00



Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Suitable for Aqua-Dec AD8 only



#### Round foot for curved panels

For a curved panel you will require a floor foot to support the end of the panel, which will be slightly raised off the floor due to the slope of the Aqua-Dec. Chrome Feet are only available to purchase with a Wetroom Glass Panel

Code: ISPFRC Price: £54.60 Exc. VAT £65.52 Inc. VAT\*

## Aqua-Screen Pure Curved with 5mm toughened safety glass.








#### PANEL COMBINATIONS

Front panel in an alcove

Front panel†	Plain Glass		Retail Price Exc. VAT	Inc. VAT*
Front panel		IPWS WA CUC	£415.80	£498.96



Height: 2063mm (2000mm to top of glass). Can be left or right hand.

Compatible with any Agua-Dec 900-1200



#### Square foot for curved panels

You will require a floor foot to support the end of the curved panel, which will be slightly raised off the floor due to the gradient of the Aqua-Dec. Chrome Feet are only available to purchase with a Wetroom Glass Panel

Code: ISPFQC Price: £47.25 Exc. VAT £56.70 Inc. VAT\*

## **Step 5 Accessories**

Have everything you need for your shower within easy reach.



Curved Hand Rail

 Length: 355mm
 Code: CSGR355
 Price: £49.00
 Exc. VAT £58.80 Inc. VAT

 Length: 480mm
 Code: CSGR480
 Price: £59.00
 Exc. VAT £70.80 Inc. VAT

 Length: 620mm
 Code: CSGR620
 Price: £65.00
 Exc. VAT £78.00 Inc. VAT



#### Straight Hand Rail

 Length:
 355mm
 Code:
 SSGR355
 Price:
 £44.00
 Exc.
 VAT
 £52.80
 Inc.
 VAT

 Length:
 480mm
 Code:
 SSGR480
 Price:
 £54.00
 Exc.
 VAT
 £64.80
 Inc.
 VAT

 Length:
 620mm
 Code:
 SSGR620
 Price:
 £59.00
 Exc.
 VAT
 £70.80
 Inc.
 VAT



Shower Gel/Robe Hook Size: 35mm x 28mm Code: ASA105 Price: £21.42 Exc. VAT £25.70 Inc. VAT\*



Hanging Double Basket Code: IG253-000 Price: £121.72 Exc. VAT £146.06 Inc. VAT\*



Shower Squeegee Width: 270mm Code: ASA101 Price: £27.09 Exc. VAT £32.51 Inc. VAT\*




Foot Rest Width: 335mm Code: ASA103 Price: £40.74 Exc. VAT £48.89 Inc. VAT\*






Double Corner Basket Code: IG183-697 Price: £104.42 Exc. VAT £125.30 Inc. VAT\*





Sponge and Soap Holder Code: IG150-697 Price: £52.16 Exc. VAT £62.59 Inc. VAT\*





Bottle and Sponge Holder Code: IG140-697 Price: £51.30 Exc. VAT £61.56 Inc. VAT\*





Soap Holder Code: IG139-697 Price: £26.08 Exc. VAT £31.30 Inc. VAT\*





Shower Corner Basket Code: IG182-697 Price: £56.50 Exc. VAT £67.80 Inc. VAT\*



Impey Showers Ltd guarantees its range of branded showering products against faulty materials or manufacture for a Lifetime, provided that they have been installed and maintained in accordance with the manufacturer's instructions.

The guarantee extends to non-electrical products in general use and excludes normal wear and tear. For products such as taps, shower valves, bathroom accessories, waterproofing and electrical products, the standard manufacturer's guarantee will apply. Where products included in the Lifetime guarantee are used for commercial use, such as hospitals, nursing homes or hotels, a 5 year guarantee will be applicable.

Parts that are defined as wearing parts, such as seals, seat pads etc, are subject to a 5 year guarantee. If in our opinion the product has been modified, neglected, misused or is the subject of accidental damage the guarantee will not be applicable.

Impey Showers Ltd has a policy of continuous improvement and therefore reserves the right to revise or amend the specification of any product without notice. In situations where a product has failed, subject to the terms of the guarantee, and a direct replacement is no longer available, Impey Showers Ltd will replace it with the nearest equivalent product.

The liability of Impey Showers Ltd does not extend to consequential loss or damage arising from the defective product and is limited to the price of the original goods supplied by Impey Showers Ltd.

The guarantee is in addition to your statutory rights.

#### Terms and conditions

Please refer to our website for details of our full terms and conditions.





Impey Showers Limited, Conquest Business Park, Ilton, Somerset TA19 9EA Switchboard: 01460 256 080 Sales: 0870 909 0770 Technical Helpline: 01460 258 682 Fax: 01460 57605 Web: www.impeyshowers.com Email: orders@impeyshowers.com

A Coram Group Company

Due to our policy of continuous improvement, we reserve the right to change product specification without notice



facebook.com/impeyshowers

@impeyshowers











Mirror on page 7 supplied by Vitra Showers supplied by Grohe Tiles for interiors on pages 6/7 and 10/11 supplied by



Y A AMAN TANKA VA WANNA VA

www.artisantbs.co.uk